



Texas Water Development Board Groundwater Database Reports



Infrequent Constituent Report

County: Caldwell

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
5860703	2 / 27 / 1946	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		165.	
5860704	2 / 27 / 1946	1	01045	IRON, TOTAL (UG/L AS FE)		1700.	
5860705	6 / 11 / 1946	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		255.	
5860706	6 / 11 / 1946	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		210.	
6702503	6 / 13 / 1946	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		248.	
6702507	6 / 12 / 1946	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		240.	
6702601	6 / 12 / 1946	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		240.	
6702602	6 / 12 / 1946	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		232.	
6702603	6 / 13 / 1946	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		225.	
6702902	3 / 28 / 1946	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		450	
6702905	3 / 29 / 1946	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		405	
6702908	7 / 18 / 1976	1	00605	NITROGEN, ORGANIC, TOTAL (MG/L AS N)		0.3	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
6703303	7 / 18 / 1976	1	00610	NITROGEN, AMMONIA, TOTAL (MG/L AS N)		0.5	
	7 / 18 / 1976	1	00615	NITRITE NITROGEN, TOTAL (MG/L AS N)		0.75	
	7 / 18 / 1976	1	00620	NITRATE NITROGEN, TOTAL (MG/L AS N)		2.55	
6703304	6 / 11 / 1946	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		225.	
6703401	2 / 27 / 1946	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		668.	
6703402	6 / 12 / 1946	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		255.	
6703601	6 / 12 / 1946	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		248.	
6703703	4 / 12 / 1946	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		315.	
6703704	1 / 24 / 1946	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		322.	
6703706	2 / 20 / 1964	1	71820	DENSITY (GM/ML AT 20C)		1.007	
6703707	1 / 25 / 1946	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		292.	
6703709	1 / 24 / 1946	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		315.	
6703711	1 / 24 / 1946	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		300.	
6703715	1 / 24 / 1946	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		285.	
6703720	3 / 28 / 1946	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		338.	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
6703721	1 / 25 / 1946	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		285.	
6703722	6 / 20 / 1964	1	01045	IRON, TOTAL (UG/L AS FE)		200.	
6703801	1 / 25 / 1946	1	01045	IRON, TOTAL (UG/L AS FE)		270.	
	1 / 25 / 1946	1	01046	IRON, DISSOLVED (UG/L AS FE)		10.	
	3 / 16 / 1943	1	01045	IRON, TOTAL (UG/L AS FE)		160.	
	3 / 31 / 1944	1	01045	IRON, TOTAL (UG/L AS FE)		40.	
	4 / 3 / 1945	1	01045	IRON, TOTAL (UG/L AS FE)		40.	
	2 / 8 / 1946	1	01045	IRON, TOTAL (UG/L AS FE)		40.	
	8 / 12 / 1947	1	01045	IRON, TOTAL (UG/L AS FE)		140.	
	5 / 4 / 1951	1	01045	IRON, TOTAL (UG/L AS FE)		80.	
	3 / 31 / 1944	1	01055	MANGANESE, TOTAL (UG/L AS MN)	<	50.	
6703802	4 / 3 / 1945	1	01055	MANGANESE, TOTAL (UG/L AS MN)	<	50.	
	8 / 12 / 1947	1	01055	MANGANESE, TOTAL (UG/L AS MN)	<	50.	
	5 / 4 / 1951	1	01055	MANGANESE, TOTAL (UG/L AS MN)	<	50.	
	3 / 16 / 1943	1	01045	IRON, TOTAL (UG/L AS FE)		200.	
	4 / 2 / 1944	1	01045	IRON, TOTAL (UG/L AS FE)		80.	
	4 / 3 / 1945	1	01045	IRON, TOTAL (UG/L AS FE)		230.	
	2 / 8 / 1946	1	01045	IRON, TOTAL (UG/L AS FE)		960.	
	8 / 12 / 1947	1	01045	IRON, TOTAL (UG/L AS FE)		130.	
	3 / 16 / 1943	1	01055	MANGANESE, TOTAL (UG/L AS MN)	<	50.	
6703803	4 / 2 / 1944	1	01055	MANGANESE, TOTAL (UG/L AS MN)	<	50.	
	8 / 12 / 1947	1	01055	MANGANESE, TOTAL (UG/L AS MN)	<	50.	
	11 / 29 / 1938	1	01045	IRON, TOTAL (UG/L AS FE)		50.	
	3 / 16 / 1943	1	01045	IRON, TOTAL (UG/L AS FE)		80.	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
6703804	3 / 31 / 1944	1	01045	IRON, TOTAL (UG/L AS FE)		120.	
	4 / 3 / 1945	1	01045	IRON, TOTAL (UG/L AS FE)		60.	
	2 / 8 / 1946	1	01045	IRON, TOTAL (UG/L AS FE)		140.	
	8 / 12 / 1947	1	01045	IRON, TOTAL (UG/L AS FE)		90.	
	5 / 4 / 1951	1	01045	IRON, TOTAL (UG/L AS FE)		60.	
	1 / 7 / 1963	1	01045	IRON, TOTAL (UG/L AS FE)	<	40.	
	1 / 12 / 1965	1	01045	IRON, TOTAL (UG/L AS FE)		120.	
	2 / 22 / 1966	1	01045	IRON, TOTAL (UG/L AS FE)	<	20.	
	5 / 12 / 1967	1	01045	IRON, TOTAL (UG/L AS FE)	<	20.	
	2 / 15 / 1968	1	01045	IRON, TOTAL (UG/L AS FE)		60.	
	2 / 17 / 1969	1	01045	IRON, TOTAL (UG/L AS FE)	<	20.	
	4 / 13 / 1970	1	01045	IRON, TOTAL (UG/L AS FE)	<	20.	
	2 / 17 / 1972	1	01045	IRON, TOTAL (UG/L AS FE)	<	20.	
	12 / 3 / 1938	1	01055	MANGANESE, TOTAL (UG/L AS MN)	<	20.	
	3 / 31 / 1944	1	01055	MANGANESE, TOTAL (UG/L AS MN)	<	50.	
	8 / 12 / 1947	1	01055	MANGANESE, TOTAL (UG/L AS MN)	<	50.	
	1 / 7 / 1963	1	01055	MANGANESE, TOTAL (UG/L AS MN)	<	50.	
	5 / 12 / 1967	1	01055	MANGANESE, TOTAL (UG/L AS MN)	<	50.	
	4 / 13 / 1970	1	01055	MANGANESE, TOTAL (UG/L AS MN)	<	50.	
6703806	5 / 4 / 1951	1	01045	IRON, TOTAL (UG/L AS FE)		50.	
	2 / 22 / 1966	1	01045	IRON, TOTAL (UG/L AS FE)		0.	
	5 / 4 / 1951	1	01055	MANGANESE, TOTAL (UG/L AS MN)		50.	
6703808	1 / 29 / 1946	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		300.	
	1 / 29 / 1946	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		405.	
6703810	1 / 24 / 1946	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		525.	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
6704202							
	8 / 7 / 1946	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		300.	
6704401							
	4 / 12 / 1946	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		465.	
6704501							
	7 / 27 / 1953	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		300	
	2 / 12 / 1962	1	01045	IRON, TOTAL (UG/L AS FE)		4700.	
	2 / 12 / 1962	1	01046	IRON, DISSOLVED (UG/L AS FE)		10.	
6704502							
	3 / 14 / 1946	1	01045	IRON, TOTAL (UG/L AS FE)		880.	
6704503							
	4 / 12 / 1946	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		420	
6704504							
	8 / 7 / 1946	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		228.	
6704506							
	8 / 7 / 1946	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		267.	
6704511							
	10 / 21 / 1992	1	00090	OXIDATION REDUCTION POTENTIAL (ORP), MILLIVOLTS		-133.8	
	10 / 21 / 1992	1	00608	NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)		0.22	
	10 / 21 / 1992	1	00613	NITRITE NITROGEN, DISSOLVED (MG/L AS N)	<	0.01	
	10 / 21 / 1992	1	00618	NITRATE NITROGEN, DISSOLVED (MG/L AS N)	<	0.01	
	10 / 21 / 1992	1	00623	NITROGEN, KJELDAHL, DISSOLVED (MG/L AS N)		0.4	
	10 / 21 / 1992	1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	10.	
	10 / 21 / 1992	1	01005	BARIUM, DISSOLVED (UG/L AS BA)		72.	
	10 / 21 / 1992	1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	10.	
	10 / 21 / 1992	1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	20.	
	10 / 21 / 1992	1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	20.	
	4 / 29 / 1978	1	01046	IRON, DISSOLVED (UG/L AS FE)		80	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
6704512	10 / 21 / 1992	1	01046	IRON, DISSOLVED (UG/L AS FE)		296.	
	10 / 21 / 1992	1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	50.	
	4 / 29 / 1978	1	01055	MANGANESE, TOTAL (UG/L AS MN)		250	
	10 / 21 / 1992	1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		171.	
	10 / 21 / 1992	1	01075	SILVER, DISSOLVED (UG/L AS AG)	<	10.	
	10 / 21 / 1992	1	01090	ZINC, DISSOLVED (UG/L AS ZN)	<	20.	
	10 / 21 / 1992	1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	2.	
	10 / 21 / 1992	1	01503	ALPHA, DISSOLVED (PC/L)		2.2	2
	10 / 21 / 1992	1	03503	BETA, DISSOLVED (PC/L)		4.6	2.6
	10 / 21 / 1992	1	39086	ALKALINITY, FIELD, DISSOLVED AS CaCO3		232.	
	10 / 21 / 1992	1	71890	MERCURY, DISSOLVED (UG/L AS HG)	<	.2	
	6 / 5 / 1998	1	00010	TEMPERATURE, WATER (CELSIUS)		24.4	
	3 / 25 / 2002	1	00010	TEMPERATURE, WATER (CELSIUS)		23.9	
6704512	6 / 14 / 2006	1	00010	TEMPERATURE, WATER (CELSIUS)		24.3	
	6 / 28 / 2010	1	00010	TEMPERATURE, WATER (CELSIUS)		24.5	
	6 / 5 / 1998	1	00090	OXIDATION REDUCTION POTENTIAL (ORP), MILLIVOLTS		-160.1	
	6 / 28 / 2010	1	00300	OXYGEN, DISSOLVED (MG/L)		6.5	
	6 / 5 / 1998	1	00608	NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)		0.31	
	6 / 5 / 1998	1	00623	NITROGEN, KJELDAHL, DISSOLVED (MG/L AS N)		0.28	
	6 / 5 / 1998	1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.05	
	3 / 25 / 2002	1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)		0.0395	
	6 / 14 / 2006	1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.1	
	6 / 28 / 2010	1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.020	
	6 / 5 / 1998	1	00666	PHOSPHORUS, DISSOLVED (MG/L AS P)	<	0.07	
	6 / 28 / 2010	1	00666	PHOSPHORUS, DISSOLVED (MG/L AS P)		0.032	
	6 / 5 / 1998	1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2	
	3 / 25 / 2002	1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2	
	6 / 14 / 2006	1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	1	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
	6 / 28 / 2010	1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2.0	
	6 / 5 / 1998	1	01005	BARIUM, DISSOLVED (UG/L AS BA)		57.4	
	3 / 25 / 2002	1	01005	BARIUM, DISSOLVED (UG/L AS BA)		56.8	
	6 / 14 / 2006	1	01005	BARIUM, DISSOLVED (UG/L AS BA)		69	
	6 / 28 / 2010	1	01005	BARIUM, DISSOLVED (UG/L AS BA)		63.0	
	6 / 5 / 1998	1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1	
	3 / 25 / 2002	1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1	
	6 / 14 / 2006	1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1	
	6 / 28 / 2010	1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1.0	
	6 / 5 / 1998	1	01020	BORON, DISSOLVED (UG/L AS B)		121	
	3 / 25 / 2002	1	01020	BORON, DISSOLVED (UG/L AS B)		383	
	6 / 14 / 2006	1	01020	BORON, DISSOLVED (UG/L AS B)		115	
	6 / 28 / 2010	1	01020	BORON, DISSOLVED (UG/L AS B)		79	
	6 / 5 / 1998	1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1	
	3 / 25 / 2002	1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1	
	6 / 14 / 2006	1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1	
	6 / 28 / 2010	1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1.0	
	6 / 5 / 1998	1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)		2	
	3 / 25 / 2002	1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)		3.89	
	6 / 14 / 2006	1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	1	
	6 / 28 / 2010	1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	1.0	
	6 / 5 / 1998	1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1	
	3 / 25 / 2002	1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1	
	6 / 14 / 2006	1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1	
	6 / 28 / 2010	1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1.0	
	6 / 5 / 1998	1	01040	COPPER, DISSOLVED (UG/L AS CU)		2.2	
	3 / 25 / 2002	1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	1	
	6 / 14 / 2006	1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	1	
	6 / 28 / 2010	1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	1.0	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
	6 / 5 / 1998	1	01046	IRON, DISSOLVED (UG/L AS FE)		359	
	3 / 25 / 2002	1	01046	IRON, DISSOLVED (UG/L AS FE)		307	
	6 / 14 / 2006	1	01046	IRON, DISSOLVED (UG/L AS FE)		286	
	6 / 28 / 2010	1	01046	IRON, DISSOLVED (UG/L AS FE)		232	
	6 / 5 / 1998	1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1	
	3 / 25 / 2002	1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1	
	6 / 14 / 2006	1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1	
	6 / 28 / 2010	1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1.0	
	6 / 5 / 1998	1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		236	
	3 / 25 / 2002	1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		186	
	6 / 14 / 2006	1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		195	
	6 / 28 / 2010	1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		167	
	6 / 5 / 1998	1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1	
	3 / 25 / 2002	1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1	
	6 / 14 / 2006	1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1	
	6 / 28 / 2010	1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1.0	
	6 / 5 / 1998	1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1	
	3 / 25 / 2002	1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1	
	6 / 14 / 2006	1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1	
	6 / 28 / 2010	1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1.0	
	6 / 5 / 1998	1	01065	NICKEL, DISSOLVED (UG/L AS NI)		4.5	
	3 / 25 / 2002	1	01065	NICKEL, DISSOLVED (UG/L AS NI)		1.83	
	6 / 28 / 2010	1	01075	SILVER, DISSOLVED (UG/L AS AG)	<	1.0	
	6 / 5 / 1998	1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		583	
	3 / 25 / 2002	1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		563	
	6 / 14 / 2006	1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		562	
	6 / 28 / 2010	1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		532	
	6 / 5 / 1998	1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1	
	3 / 25 / 2002	1	01085	VANADIUM, DISSOLVED (UG/L AS V)		1.04	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
	6 / 14 / 2006	1	01085	VANADIUM, DISSOLVED (UG/L AS V)		1	
	6 / 28 / 2010	1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1.0	
	6 / 5 / 1998	1	01090	ZINC, DISSOLVED (UG/L AS ZN)		17.8	
	3 / 25 / 2002	1	01090	ZINC, DISSOLVED (UG/L AS ZN)		8.38	
	6 / 14 / 2006	1	01090	ZINC, DISSOLVED (UG/L AS ZN)		5	
	6 / 28 / 2010	1	01090	ZINC, DISSOLVED (UG/L AS ZN)		7.4	
	6 / 5 / 1998	1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1	
	3 / 25 / 2002	1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1	
	6 / 14 / 2006	1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1	
	6 / 28 / 2010	1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1.0	
	6 / 5 / 1998	1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)		5.3	
	3 / 25 / 2002	1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	4	
	6 / 14 / 2006	1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)		2	
	6 / 28 / 2010	1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	4.1	
	6 / 5 / 1998	1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		68.3	
	3 / 25 / 2002	1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		63.0	
	6 / 14 / 2006	1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		80	
	6 / 28 / 2010	1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		65.4	
	6 / 5 / 1998	1	01145	SELENIUM, DISSOLVED (UG/L AS SE)		4.7	
	3 / 25 / 2002	1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4	
	6 / 14 / 2006	1	01145	SELENIUM, DISSOLVED (UG/L AS SE)		1	
	6 / 28 / 2010	1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4.1	
	6 / 28 / 2010	1	22703	URANIUM, NATURAL, DISSOLVED, UG/L	<	1.0	
	6 / 5 / 1998	1	39086	ALKALINITY, FIELD, DISSOLVED AS CaCO3		207.0	
	3 / 25 / 2002	1	39086	ALKALINITY, FIELD, DISSOLVED AS CaCO3		214.0	
	6 / 14 / 2006	1	39086	ALKALINITY, FIELD, DISSOLVED AS CaCO3		238	
	6 / 28 / 2010	1	39086	ALKALINITY, FIELD, DISSOLVED AS CaCO3		212	
	6 / 28 / 2010	1	50938	ANION/CATION CHG BAL, PERCENT		-0.73	
	6 / 5 / 1998	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)	<	0.1	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
6704601	3 / 25 / 2002	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.270	
	6 / 14 / 2006	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.31	
	6 / 28 / 2010	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.32	
	6 / 28 / 2010	1	71890	MERCURY, DISSOLVED (UG/L AS HG)	<	0.200	
6704602	8 / 5 / 1946	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		1140.	
6704710	8 / 5 / 1946	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		525.	
6704801	2 / 4 / 1952	1	01045	IRON, TOTAL (UG/L AS FE)		5000.	
6704803	8 / 2 / 1946	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		132.	
	10 / 11 / 1995	1	01002	ARSENIC, TOTAL (UG/L AS AS)	<	2.	
	10 / 11 / 1995	1	01007	BARIUM, TOTAL (UG/L AS BA)		117.	
	10 / 11 / 1995	1	01012	BERYLLIUM, TOTAL (UG/L AS BE)	<	1.	
	10 / 11 / 1995	1	01027	CADMIUM, TOTAL (UG/L)	<	0.2	
	10 / 11 / 1995	1	01034	CHROMIUM, TOTAL (UG/L AS CR)	<	8.	
	10 / 11 / 1995	1	01042	COPPER, TOTAL (UG/L AS CU)	<	6.	
	10 / 11 / 1995	1	01051	LEAD, TOTAL (UG/L AS PB)	<	1.	
	10 / 11 / 1995	1	01055	MANGANESE, TOTAL (UG/L AS MN)		7.	
	10 / 11 / 1995	1	01059	THALLIUM, TOTAL (UG/L AS TL)	<	1.	
	10 / 11 / 1995	1	01067	NICKEL, TOTAL (UG/L AS NI)	<	20.	
	10 / 11 / 1995	1	01077	SILVER, TOTAL (UG/L AS AG)	<	6.	
	10 / 11 / 1995	1	01092	ZINC, TOTAL (UG/L AS ZN)	<	5.	
	10 / 11 / 1995	1	01097	ANTIMONY, TOTAL (UG/L AS SB)	<	2.	
	10 / 11 / 1995	1	01105	ALUMINUM, TOTAL (UG/L AS AL)	<	20.	
	10 / 11 / 1995	1	01147	SELENIUM, TOTAL (UG/L)	<	4.	
	10 / 11 / 1995	1	71900	MERCURY, TOTAL (UG/L AS HG)	<	1.	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
6704901	8 / 3 / 1946	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		210.	
6704902	4 / 17 / 1946	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		675.	
6704904	11 / 6 / 1969	1	01020	BORON, DISSOLVED (UG/L AS B)	<	100.	
6704905	8 / 3 / 1946	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		237.	
6704906	6 / 24 / 1964	1	01045	IRON, TOTAL (UG/L AS FE)		640.	
6705402	8 / 5 / 1946	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		802.	
6705701	8 / 3 / 1946	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		495.	
6705702	8 / 5 / 1946	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		292.	
6705703	6 / 24 / 1964	1	01045	IRON, TOTAL (UG/L AS FE)		50.	
6705801	6 / 24 / 1964	1	01045	IRON, TOTAL (UG/L AS FE)	<	10.	
6705802	6 / 24 / 1964	1	01045	IRON, TOTAL (UG/L AS FE)		5600.	
	6 / 24 / 1964	1	01046	IRON, DISSOLVED (UG/L AS FE)		20.	
6710101	2 / 0 / 1943	1	01045	IRON, TOTAL (UG/L AS FE)		80.	
6710103	6 / 13 / 1946	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		300.	
6710201							

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
6710202	2 / 14 / 1946	1	01045	IRON, TOTAL (UG/L AS FE)		60.	
6710203	4 / 9 / 1946	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		518.	
6710301	6 / 20 / 1964	1	01045	IRON, TOTAL (UG/L AS FE)		400.	
	6 / 20 / 1964	1	01046	IRON, DISSOLVED (UG/L AS FE)		100.	
6710501	3 / 28 / 1946	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		405.	
6710502	8 / 9 / 1946	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		258.	
6710504	5 / 9 / 1946	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		765.	
6710801	4 / 8 / 1946	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		270.	
6710802	2 / 13 / 1962	1	00665	PHOSPHORUS, TOTAL (MG/L AS P)		.08	
	2 / 13 / 1962	1	01020	BORON, DISSOLVED (UG/L AS B)		100.	
	2 / 13 / 1962	1	01045	IRON, TOTAL (UG/L AS FE)	<	10.	
	2 / 13 / 1962	1	01055	MANGANESE, TOTAL (UG/L AS MN)	<	5.	
6710901	4 / 8 / 1946	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		248.	
6710908	2 / 0 / 1943	1	01045	IRON, TOTAL (UG/L AS FE)		50.	
6711101	4 / 3 / 1946	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		405.	
6711104	4 / 19 / 1946	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		315	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
6711105	3 / 29 / 1946	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		270	
6711202	1 / 30 / 1946	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		308	
6711203	4 / 19 / 1946	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		300.	
6711204	3 / 20 / 1946	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		765.	
6711301	3 / 20 / 1946	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		502.	
6711306	2 / 14 / 1952	1	01045	IRON, TOTAL (UG/L AS FE)		5000.	
6711307	3 / 3 / 1964	1	01045	IRON, TOTAL (UG/L AS FE)	<	10.	
6711308	4 / 16 / 1946	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		442.	
6711309	4 / 16 / 1946	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		270.	
6711310	4 / 2 / 1964	1	01045	IRON, TOTAL (UG/L AS FE)		100.	
6711310	4 / 2 / 1964	1	01046	IRON, DISSOLVED (UG/L AS FE)	<	10.	
6711311	1 / 30 / 1946	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		315.	
6711501	4 / 2 / 1964	1	01045	IRON, TOTAL (UG/L AS FE)		1800.	
6711501	4 / 2 / 1964	1	01046	IRON, DISSOLVED (UG/L AS FE)		10.	
6711502	3 / 20 / 1946	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		300.	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
6711601	3 / 20 / 1946	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		930.	
6711606	7 / 3 / 1958	1	01045	IRON, TOTAL (UG/L AS FE)		1500.	
6711607	5 / 3 / 1946	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		232.	
6711608	5 / 3 / 1946	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		322.	
6711619	5 / 3 / 1946	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		322.	
6711620	5 / 19 / 1971	1	00610	NITROGEN, AMMONIA, TOTAL (MG/L AS N)	<	1.0	
	5 / 19 / 1971	1	00615	NITRITE NITROGEN, TOTAL (MG/L AS N)	<	0.05	
	5 / 19 / 1971	1	00620	NITRATE NITROGEN, TOTAL (MG/L AS N)	<	0.3	
	5 / 19 / 1971	1	71875	HYDROGEN SULFIDE, MG/L	<	0.05	
6711623	5 / 20 / 1971	1	71875	HYDROGEN SULFIDE, MG/L	<	0.05	
	10 / 21 / 1992	1	00010	TEMPERATURE, WATER (CELSIUS)		23.5	
	6 / 5 / 1998	1	00010	TEMPERATURE, WATER (CELSIUS)		23.7	
	3 / 25 / 2002	1	00010	TEMPERATURE, WATER (CELSIUS)		23.2	
	6 / 14 / 2006	1	00010	TEMPERATURE, WATER (CELSIUS)		23.5	
	6 / 28 / 2010	1	00010	TEMPERATURE, WATER (CELSIUS)		23.9	
	10 / 21 / 1992	1	00090	OXIDATION REDUCTION POTENTIAL (ORP), MILLIVOLTS		-110.7	
	6 / 5 / 1998	1	00090	OXIDATION REDUCTION POTENTIAL (ORP), MILLIVOLTS		-22.9	
	6 / 28 / 2010	1	00300	OXYGEN, DISSOLVED (MG/L)		7.0	
	10 / 21 / 1992	1	00608	NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)		0.15	
	6 / 5 / 1998	1	00608	NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)		0.24	
	10 / 21 / 1992	1	00613	NITRITE NITROGEN, DISSOLVED (MG/L AS N)	<	0.01	
	10 / 21 / 1992	1	00618	NITRATE NITROGEN, DISSOLVED (MG/L AS N)	<	0.01	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
	10 / 21 / 1992	1	00623	NITROGEN, KJELDAHL, DISSOLVED (MG/L AS N)		0.3	
	6 / 5 / 1998	1	00623	NITROGEN, KJELDAHL, DISSOLVED (MG/L AS N)		0.6	
	6 / 5 / 1998	1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.05	
	3 / 25 / 2002	1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)		0.0324	
	6 / 14 / 2006	1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.1	
	6 / 28 / 2010	1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.020	
	6 / 5 / 1998	1	00666	PHOSPHORUS, DISSOLVED (MG/L AS P)	<	0.07	
	6 / 28 / 2010	1	00666	PHOSPHORUS, DISSOLVED (MG/L AS P)	<	0.020	
	10 / 21 / 1992	1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	10.	
	6 / 5 / 1998	1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2	
	3 / 25 / 2002	1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2	
	6 / 14 / 2006	1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	1	
	6 / 28 / 2010	1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2.0	
	10 / 21 / 1992	1	01005	BARIUM, DISSOLVED (UG/L AS BA)		151.	
	6 / 5 / 1998	1	01005	BARIUM, DISSOLVED (UG/L AS BA)		131	
	3 / 25 / 2002	1	01005	BARIUM, DISSOLVED (UG/L AS BA)		133	
	6 / 14 / 2006	1	01005	BARIUM, DISSOLVED (UG/L AS BA)		139	
	6 / 28 / 2010	1	01005	BARIUM, DISSOLVED (UG/L AS BA)		141	
	6 / 5 / 1998	1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1	
	3 / 25 / 2002	1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1	
	6 / 14 / 2006	1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1	
	6 / 28 / 2010	1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1.0	
	6 / 5 / 1998	1	01020	BORON, DISSOLVED (UG/L AS B)		113	
	3 / 25 / 2002	1	01020	BORON, DISSOLVED (UG/L AS B)		401	
	6 / 14 / 2006	1	01020	BORON, DISSOLVED (UG/L AS B)		109	
	6 / 28 / 2010	1	01020	BORON, DISSOLVED (UG/L AS B)		90	
	10 / 21 / 1992	1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	10.	
	6 / 5 / 1998	1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1	
	3 / 25 / 2002	1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
	6 / 14 / 2006	1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1	
	6 / 28 / 2010	1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1.0	
	10 / 21 / 1992	1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	20.	
	6 / 5 / 1998	1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)		3.1	
	3 / 25 / 2002	1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)		5.78	
	6 / 14 / 2006	1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)		1	
	6 / 28 / 2010	1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	1.0	
	6 / 5 / 1998	1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1	
	3 / 25 / 2002	1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1	
	6 / 14 / 2006	1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1	
	6 / 28 / 2010	1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1.0	
	10 / 21 / 1992	1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	20.	
	6 / 5 / 1998	1	01040	COPPER, DISSOLVED (UG/L AS CU)		2.2	
	3 / 25 / 2002	1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	1	
	6 / 14 / 2006	1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	1	
	6 / 28 / 2010	1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	1.0	
	10 / 21 / 1992	1	01046	IRON, DISSOLVED (UG/L AS FE)		650.	
	6 / 5 / 1998	1	01046	IRON, DISSOLVED (UG/L AS FE)		854	
	3 / 25 / 2002	1	01046	IRON, DISSOLVED (UG/L AS FE)		674	
	6 / 14 / 2006	1	01046	IRON, DISSOLVED (UG/L AS FE)		796	
	6 / 28 / 2010	1	01046	IRON, DISSOLVED (UG/L AS FE)		729	
	10 / 21 / 1992	1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	50.	
	6 / 5 / 1998	1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1	
	3 / 25 / 2002	1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1	
	6 / 14 / 2006	1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1	
	6 / 28 / 2010	1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1.0	
	10 / 21 / 1992	1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		246.	
	6 / 5 / 1998	1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		310	
	3 / 25 / 2002	1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		279	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
	6 / 14 / 2006	1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		291	
	6 / 28 / 2010	1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		265	
	6 / 5 / 1998	1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1	
	3 / 25 / 2002	1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1	
	6 / 14 / 2006	1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1	
	6 / 28 / 2010	1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1.0	
	6 / 5 / 1998	1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1	
	3 / 25 / 2002	1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1	
	6 / 14 / 2006	1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1	
	6 / 28 / 2010	1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1.0	
	6 / 5 / 1998	1	01065	NICKEL, DISSOLVED (UG/L AS NI)		6.9	
	3 / 25 / 2002	1	01065	NICKEL, DISSOLVED (UG/L AS NI)		3.08	
	10 / 21 / 1992	1	01075	SILVER, DISSOLVED (UG/L AS AG)	<	10.	
	6 / 28 / 2010	1	01075	SILVER, DISSOLVED (UG/L AS AG)	<	1.0	
	6 / 5 / 1998	1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		1340	
	3 / 25 / 2002	1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		1320	
	6 / 14 / 2006	1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		1300	
	6 / 28 / 2010	1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		1420	
	6 / 5 / 1998	1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1	
	3 / 25 / 2002	1	01085	VANADIUM, DISSOLVED (UG/L AS V)		1.55	
	6 / 14 / 2006	1	01085	VANADIUM, DISSOLVED (UG/L AS V)		1	
	6 / 28 / 2010	1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1.0	
	10 / 21 / 1992	1	01090	ZINC, DISSOLVED (UG/L AS ZN)		22.	
	6 / 5 / 1998	1	01090	ZINC, DISSOLVED (UG/L AS ZN)		12.3	
	3 / 25 / 2002	1	01090	ZINC, DISSOLVED (UG/L AS ZN)		18.8	
	6 / 14 / 2006	1	01090	ZINC, DISSOLVED (UG/L AS ZN)		3	
	6 / 28 / 2010	1	01090	ZINC, DISSOLVED (UG/L AS ZN)		17.6	
	6 / 5 / 1998	1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1	
	3 / 25 / 2002	1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
	6 / 14 / 2006	1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1	
	6 / 28 / 2010	1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1.0	
	6 / 5 / 1998	1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	4	
	3 / 25 / 2002	1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	4	
	6 / 14 / 2006	1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	1	
	6 / 28 / 2010	1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	4.1	
	6 / 5 / 1998	1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		29	
	3 / 25 / 2002	1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		26.2	
	6 / 14 / 2006	1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		32	
	6 / 28 / 2010	1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		25.9	
	10 / 21 / 1992	1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	2.	
	6 / 5 / 1998	1	01145	SELENIUM, DISSOLVED (UG/L AS SE)		5.7	
	3 / 25 / 2002	1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4	
	6 / 14 / 2006	1	01145	SELENIUM, DISSOLVED (UG/L AS SE)		1	
	6 / 28 / 2010	1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4.1	
	10 / 21 / 1992	1	01503	ALPHA, DISSOLVED (PC/L)	<	2.0	
	10 / 21 / 1992	1	03503	BETA, DISSOLVED (PC/L)		4.8	2.6
	6 / 28 / 2010	1	22703	URANIUM, NATURAL, DISSOLVED, UG/L	<	1.0	
	10 / 21 / 1992	1	39086	ALKALINITY, FIELD, DISSOLVED AS CaCO3		266.	
	6 / 5 / 1998	1	39086	ALKALINITY, FIELD, DISSOLVED AS CaCO3		257.00	
	3 / 25 / 2002	1	39086	ALKALINITY, FIELD, DISSOLVED AS CaCO3		264.0	
	6 / 14 / 2006	1	39086	ALKALINITY, FIELD, DISSOLVED AS CaCO3		254	
	6 / 28 / 2010	1	39086	ALKALINITY, FIELD, DISSOLVED AS CaCO3		258	
	6 / 28 / 2010	1	50938	ANION/CATION CHG BAL, PERCENT		0.01	
	6 / 5 / 1998	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.54	
	3 / 25 / 2002	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.584	
	6 / 14 / 2006	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.98	
	6 / 28 / 2010	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.74	
	10 / 21 / 1992	1	71890	MERCURY, DISSOLVED (UG/L AS HG)	<	.2	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
6711701	6 / 28 / 2010	1	71890	MERCURY, DISSOLVED (UG/L AS HG)	<	0.200	
6711702	4 / 3 / 1946	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		870.	
6711703	4 / 3 / 1946	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		225.	
6711704	4 / 3 / 1946	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		240.	
6711705	4 / 3 / 1946	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		900.	
6711801	11 / 14 / 1963	1	01045	IRON, TOTAL (UG/L AS FE)		30.	
6711902	3 / 20 / 1946	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		270.	
6711905	5 / 7 / 1946	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		390.	
6711912	1 / 8 / 1964	1	01045	IRON, TOTAL (UG/L AS FE)		9300.	
	1 / 8 / 1964	1	01046	IRON, DISSOLVED (UG/L AS FE)		10.	
6712101	5 / 4 / 1978	1	01045	IRON, TOTAL (UG/L AS FE)		3650.	
6712102	8 / 11 / 1952	1	01020	BORON, DISSOLVED (UG/L AS B)		130.	
	2 / 18 / 1952	1	01045	IRON, TOTAL (UG/L AS FE)		1100.	
	8 / 11 / 1952	1	01045	IRON, TOTAL (UG/L AS FE)		1880.	
	8 / 11 / 1952	1	01046	IRON, DISSOLVED (UG/L AS FE)		10.	
	8 / 6 / 1952	1	01020	BORON, DISSOLVED (UG/L AS B)		400.	
	4 / 24 / 1952	1	01045	IRON, TOTAL (UG/L AS FE)		16100.	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
6712103	5 / 22 / 1952	1	01045	IRON, TOTAL (UG/L AS FE)		2000.	
	8 / 6 / 1952	1	01045	IRON, TOTAL (UG/L AS FE)		370.	
	8 / 6 / 1952	1	01046	IRON, DISSOLVED (UG/L AS FE)		10.	
6712104	2 / 9 / 1952	1	01045	IRON, TOTAL (UG/L AS FE)		1000.	
6712105	2 / 22 / 1952	1	01045	IRON, TOTAL (UG/L AS FE)		500.	
6712106	5 / 17 / 1952	1	01045	IRON, TOTAL (UG/L AS FE)		12500.	
6712107	6 / 17 / 1946	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		315.	
6712110	8 / 23 / 1943	1	01045	IRON, TOTAL (UG/L AS FE)		60.	
6712113	6 / 27 / 1946	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		330.	
6712114	6 / 23 / 1952	1	01045	IRON, TOTAL (UG/L AS FE)		4000.	
6712115	6 / 24 / 1952	1	01045	IRON, TOTAL (UG/L AS FE)		100.	
6712119	10 / 29 / 1952	1	01045	IRON, TOTAL (UG/L AS FE)		100.	
6712301	9 / 17 / 1970	1	01045	IRON, TOTAL (UG/L AS FE)		100.	
	9 / 17 / 1970	1	01046	IRON, DISSOLVED (UG/L AS FE)	<	50.	
6712302	3 / 14 / 1946	1	01045	IRON, TOTAL (UG/L AS FE)		190.	
	7 / 16 / 1946	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		315.	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
6712303							
	6 / 20 / 1946	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		900.	
6712305							
	6 / 20 / 1946	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		555.	
6712306							
	8 / 2 / 1946	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		237.	
6712307							
	8 / 2 / 1946	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		420.	
6712312							
	6 / 5 / 1998	1	00010	TEMPERATURE, WATER (CELSIUS)		26.8	
	3 / 25 / 2002	1	00010	TEMPERATURE, WATER (CELSIUS)		25.9	
	6 / 5 / 1998	1	00090	OXIDATION REDUCTION POTENTIAL (ORP), MILLIVOLTS		-67.5	
	6 / 5 / 1998	1	00608	NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)		0.63	
	6 / 5 / 1998	1	00623	NITROGEN, KJELDAHL, DISSOLVED (MG/L AS N)		0.71	
	6 / 5 / 1998	1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.05	
	3 / 25 / 2002	1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)		0.0592	
	6 / 5 / 1998	1	00666	PHOSPHORUS, DISSOLVED (MG/L AS P)	<	0.07	
	6 / 5 / 1998	1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2	
	3 / 25 / 2002	1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2	
	6 / 5 / 1998	1	01005	BARIUM, DISSOLVED (UG/L AS BA)		43.8	
	3 / 25 / 2002	1	01005	BARIUM, DISSOLVED (UG/L AS BA)		44.9	
	6 / 5 / 1998	1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1	
	3 / 25 / 2002	1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1	
	3 / 22 / 1971	1	01020	BORON, DISSOLVED (UG/L AS B)		500.	
	6 / 5 / 1998	1	01020	BORON, DISSOLVED (UG/L AS B)		247	
	3 / 25 / 2002	1	01020	BORON, DISSOLVED (UG/L AS B)		399	
	6 / 5 / 1998	1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1	
	3 / 25 / 2002	1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1	
	6 / 5 / 1998	1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)		5	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
	3 / 25 / 2002	1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)		5.22	
	6 / 5 / 1998	1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1	
	3 / 25 / 2002	1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1	
	6 / 5 / 1998	1	01040	COPPER, DISSOLVED (UG/L AS CU)		8.3	
	3 / 25 / 2002	1	01040	COPPER, DISSOLVED (UG/L AS CU)		1.61	
	3 / 22 / 1971	1	01045	IRON, TOTAL (UG/L AS FE)		300.	
	6 / 5 / 1998	1	01046	IRON, DISSOLVED (UG/L AS FE)		102	
	3 / 25 / 2002	1	01046	IRON, DISSOLVED (UG/L AS FE)		133	
	6 / 5 / 1998	1	01049	LEAD, DISSOLVED (UG/L AS PB)		4.4	
	3 / 25 / 2002	1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1	
	3 / 22 / 1971	1	01055	MANGANESE, TOTAL (UG/L AS MN)	<	50.	
	6 / 5 / 1998	1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		18.7	
	3 / 25 / 2002	1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		17.5	
	6 / 5 / 1998	1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1	
	3 / 25 / 2002	1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1	
	6 / 5 / 1998	1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1	
	3 / 25 / 2002	1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1	
	6 / 5 / 1998	1	01065	NICKEL, DISSOLVED (UG/L AS NI)		1.2	
	3 / 25 / 2002	1	01065	NICKEL, DISSOLVED (UG/L AS NI)	<	1	
	6 / 5 / 1998	1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		797	
	3 / 25 / 2002	1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		836	
	6 / 5 / 1998	1	01085	VANADIUM, DISSOLVED (UG/L AS V)		1.2	
	3 / 25 / 2002	1	01085	VANADIUM, DISSOLVED (UG/L AS V)		1.45	
	6 / 5 / 1998	1	01090	ZINC, DISSOLVED (UG/L AS ZN)		35.1	
	3 / 25 / 2002	1	01090	ZINC, DISSOLVED (UG/L AS ZN)		5.69	
	6 / 5 / 1998	1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1	
	3 / 25 / 2002	1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1	
	6 / 5 / 1998	1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	4	
	3 / 25 / 2002	1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	4	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
6712406	6 / 5 /1998	1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		47.6	
	3 /25 /2002	1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		47.0	
	6 / 5 /1998	1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4	
	3 /25 /2002	1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4	
	6 / 5 /1998	1	39086	ALKALINITY, FIELD, DISSOLVED AS CaCO3		263.0	
	3 /25 /2002	1	39086	ALKALINITY, FIELD, DISSOLVED AS CaCO3		260.0	
	6 / 5 /1998	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.16	
	3 /25 /2002	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.157	
6712407	4 /16 /1946	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		330.	
6712408	5 / 3 /1946	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		915.	
6712412	5 / 3 /1946	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		202.	
6712413	5 /19 /1971	1	00610	NITROGEN, AMMONIA, TOTAL (MG/L AS N)	<	1.0	
	5 /19 /1971	1	00615	NITRITE NITROGEN, TOTAL (MG/L AS N)	<	0.05	
	5 /19 /1971	1	00620	NITRATE NITROGEN, TOTAL (MG/L AS N)	<	0.3	
	5 /19 /1971	1	71875	HYDROGEN SULFIDE, MG/L		3.7	
	5 /19 /1971	1	81336	HYDROCARBON, TOTAL, UG/L		present	
6712415	5 /19 /1971	1	71875	HYDROGEN SULFIDE, MG/L	<	0.05	
	5 /19 /1971	1	81336	HYDROCARBON, TOTAL, UG/L		present	
6712416	5 /19 /1971	1	71875	HYDROGEN SULFIDE, MG/L	<	0.05	
	5 /19 /1971	1	81336	HYDROCARBON, TOTAL, UG/L		present	
	5 /19 /1971	1	81336	HYDROCARBON, TOTAL, UG/L		present	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
6712417							
	5 / 19 / 1971	1	81336	HYDROCARBON, TOTAL, UG/L		present	
6712421							
	4 / 12 / 1981	1	01045	IRON, TOTAL (UG/L AS FE)		50.	
6712423							
	5 / 20 / 1971	1	71865	IODIDE (MG/L AS I)	<	0.05	
6712501							
	4 / 14 / 1964	1	01020	BORON, DISSOLVED (UG/L AS B)		110.	
	3 / 25 / 1953	1	01045	IRON, TOTAL (UG/L AS FE)		960.	
	4 / 14 / 1964	1	01045	IRON, TOTAL (UG/L AS FE)		1700.	
	3 / 25 / 1953	1	01046	IRON, DISSOLVED (UG/L AS FE)		170.	
	4 / 14 / 1964	1	01046	IRON, DISSOLVED (UG/L AS FE)	<	10.	
6712502							
	4 / 15 / 1964	1	01020	BORON, DISSOLVED (UG/L AS B)		110.	
	4 / 28 / 1953	1	01045	IRON, TOTAL (UG/L AS FE)		200.	
	5 / 23 / 1953	1	01045	IRON, TOTAL (UG/L AS FE)		840.	
	5 / 26 / 1961	1	01045	IRON, TOTAL (UG/L AS FE)		1200.	
	1 / 7 / 1963	1	01045	IRON, TOTAL (UG/L AS FE)		620.	
	4 / 15 / 1964	1	01045	IRON, TOTAL (UG/L AS FE)		1700.	
	2 / 22 / 1966	1	01045	IRON, TOTAL (UG/L AS FE)		680.	
	5 / 12 / 1967	1	01045	IRON, TOTAL (UG/L AS FE)		980.	
	2 / 15 / 1968	1	01045	IRON, TOTAL (UG/L AS FE)		1560.	
	2 / 17 / 1969	1	01045	IRON, TOTAL (UG/L AS FE)		200.	
	4 / 13 / 1970	1	01045	IRON, TOTAL (UG/L AS FE)		600.	
	2 / 16 / 1972	1	01045	IRON, TOTAL (UG/L AS FE)		1680.	
	5 / 23 / 1953	1	01046	IRON, DISSOLVED (UG/L AS FE)		30	
	4 / 15 / 1964	1	01046	IRON, DISSOLVED (UG/L AS FE)		10.	
	5 / 26 / 1961	1	01055	MANGANESE, TOTAL (UG/L AS MN)		70.	
	1 / 7 / 1963	1	01055	MANGANESE, TOTAL (UG/L AS MN)		160.	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
6712503	2 / 22 / 1966	1	01055	MANGANESE, TOTAL (UG/L AS MN)		70.	
	5 / 12 / 1967	1	01055	MANGANESE, TOTAL (UG/L AS MN)		150.	
	2 / 15 / 1968	1	01055	MANGANESE, TOTAL (UG/L AS MN)		140.	
	2 / 17 / 1969	1	01055	MANGANESE, TOTAL (UG/L AS MN)	<	50.	
	4 / 13 / 1970	1	01055	MANGANESE, TOTAL (UG/L AS MN)		160.	
	2 / 16 / 1972	1	01055	MANGANESE, TOTAL (UG/L AS MN)		180.	
6712516	2 / 15 / 1946	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		240.	
6712517	11 / 10 / 1952	1	01045	IRON, TOTAL (UG/L AS FE)		900.	
	11 / 13 / 1952	1	01045	IRON, TOTAL (UG/L AS FE)		1400.	
	11 / 14 / 1952	1	01045	IRON, TOTAL (UG/L AS FE)		400.	
	4 / 22 / 1953	1	01045	IRON, TOTAL (UG/L AS FE)		50.	
6712520	5 / 17 / 1946	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		390.	
6712522	5 / 11 / 1967	1	01045	IRON, TOTAL (UG/L AS FE)		390.	
	10 / 21 / 1992	1	00090	OXIDATION REDUCTION POTENTIAL (ORP), MILLIVOLTS		-122.9	
	10 / 21 / 1992	1	00608	NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)		0.21	
	10 / 21 / 1992	1	00613	NITRITE NITROGEN, DISSOLVED (MG/L AS N)	<	0.01	
	10 / 21 / 1992	1	00618	NITRATE NITROGEN, DISSOLVED (MG/L AS N)	<	0.01	
	10 / 21 / 1992	1	00623	NITROGEN, KJELDAHL, DISSOLVED (MG/L AS N)		0.4	
	3 / 21 / 1977	1	00665	PHOSPHORUS, TOTAL (MG/L AS P)		1.14	
	10 / 21 / 1992	1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	10.	
	10 / 21 / 1992	1	01005	BARIUM, DISSOLVED (UG/L AS BA)		172.	
	10 / 21 / 1992	1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	10.	
	10 / 21 / 1992	1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	20.	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
6712601	10 / 21 / 1992	1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	20.	
	3 / 21 / 1977	1	01042	COPPER, TOTAL (UG/L AS CU)	<	100.	
	3 / 21 / 1977	1	01045	IRON, TOTAL (UG/L AS FE)		1430.	
	10 / 21 / 1992	1	01046	IRON, DISSOLVED (UG/L AS FE)		2550.	
	10 / 21 / 1992	1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	50.	
	3 / 21 / 1977	1	01055	MANGANESE, TOTAL (UG/L AS MN)		600.	
	10 / 21 / 1992	1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		194.	
	10 / 21 / 1992	1	01075	SILVER, DISSOLVED (UG/L AS AG)	<	10.	
	10 / 21 / 1992	1	01090	ZINC, DISSOLVED (UG/L AS ZN)	<	20.	
	10 / 21 / 1992	1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	2.	
	10 / 21 / 1992	1	01503	ALPHA, DISSOLVED (PC/L)		2.5	2
	10 / 21 / 1992	1	03503	BETA, DISSOLVED (PC/L)		4.6	2.6
	10 / 21 / 1992	1	39086	ALKALINITY, FIELD, DISSOLVED AS CaCO3		208.	
	10 / 21 / 1992	1	71890	MERCURY, DISSOLVED (UG/L AS HG)	<	.2	
6712603	6 / 20 / 1946	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		330.	
	2 / 15 / 1946	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		278.	
6712701	6 / 19 / 1946	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		990.	
	6 / 14 / 1946	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		382.	
6712801	6 / 14 / 1946	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		270.	
	5 / 17 / 1946	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		72.	
6713101	8 / 19 / 2010	1	00010	TEMPERATURE, WATER (CELSIUS)		24.8	
	8 / 19 / 2010	1	00666	PHOSPHORUS, DISSOLVED (MG/L AS P)		0.02	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
6713102	3 / 5 / 1964	1	01020	BORON, DISSOLVED (UG/L AS B)		200	
	8 / 19 / 2010	1	01020	BORON, DISSOLVED (UG/L AS B)		830	
6713103	3 / 5 / 1964	1	01020	BORON, DISSOLVED (UG/L AS B)		200.	
6713206	2 / 20 / 1964	1	01045	IRON, TOTAL (UG/L AS FE)		20000.	
	2 / 20 / 1964	1	01046	IRON, DISSOLVED (UG/L AS FE)		40.	
6713206	4 / 27 / 2011	1	00010	TEMPERATURE, WATER (CELSIUS)		22.8	
	4 / 27 / 2011	1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.020	
	4 / 27 / 2011	1	00666	PHOSPHORUS, DISSOLVED (MG/L AS P)	<	0.020	
	4 / 27 / 2011	1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2.0	
	4 / 27 / 2011	1	01005	BARIUM, DISSOLVED (UG/L AS BA)		85.8	
	4 / 27 / 2011	1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1.0	
	4 / 27 / 2011	1	01020	BORON, DISSOLVED (UG/L AS B)	<	51	
	4 / 27 / 2011	1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1.0	
	4 / 27 / 2011	1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	1.0	
	4 / 27 / 2011	1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1.0	
	4 / 27 / 2011	1	01040	COPPER, DISSOLVED (UG/L AS CU)		23.3	
	4 / 27 / 2011	1	01046	IRON, DISSOLVED (UG/L AS FE)		3080	
	4 / 27 / 2011	1	01049	LEAD, DISSOLVED (UG/L AS PB)		1.7	
	4 / 27 / 2011	1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		35.8	
	4 / 27 / 2011	1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1.0	
	4 / 27 / 2011	1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1.0	
	4 / 27 / 2011	1	01075	SILVER, DISSOLVED (UG/L AS AG)	<	1.0	
	4 / 27 / 2011	1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		28	
	4 / 27 / 2011	1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1.0	
	4 / 27 / 2011	1	01090	ZINC, DISSOLVED (UG/L AS ZN)		180	
	4 / 27 / 2011	1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1.0	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
6713502	4 / 27 / 2011	1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)		62.2	
	4 / 27 / 2011	1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		4.4	
	4 / 27 / 2011	1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4.1	
	4 / 27 / 2011	1	22703	URANIUM, NATURAL, DISSOLVED, UG/L	<	1.0	
	4 / 27 / 2011	1	39086	ALKALINITY, FIELD, DISSOLVED AS CaCO3		4	
	4 / 27 / 2011	1	50938	ANION/CATION CHG BAL, PERCENT		6.34	
	4 / 27 / 2011	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.03	
	4 / 27 / 2011	1	71890	MERCURY, DISSOLVED (UG/L AS HG)	<	0.200	
6713601	1 / 10 / 1964	1	00191	HYDROGEN ION CONCENTRATION, TOTAL (MG/L)		1.191	
	1 / 10 / 1964	1	01045	IRON, TOTAL (UG/L AS FE)		7600.	
	1 / 10 / 1964	1	01046	IRON, DISSOLVED (UG/L AS FE)		410.	
6713602	4 / 18 / 1946	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		96.	
6713605	3 / 1 / 1946	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		645	
6713613	2 / 20 / 1964	1	01045	IRON, TOTAL (UG/L AS FE)		2400.	
6713702	6 / 20 / 1964	1	01045	IRON, TOTAL (UG/L AS FE)		16000.	
	6 / 20 / 1964	1	01046	IRON, DISSOLVED (UG/L AS FE)		1200.	
6713805	6 / 20 / 1964	1	01045	IRON, TOTAL (UG/L AS FE)		1600.	
	6 / 20 / 1964	1	01046	IRON, DISSOLVED (UG/L AS FE)		10.	
	3 / 31 / 2009	1	00010	TEMPERATURE, WATER (CELSIUS)		20.5	
	8 / 19 / 2010	1	00010	TEMPERATURE, WATER (CELSIUS)		22.7	
	3 / 31 / 2009	1	00666	PHOSPHORUS, DISSOLVED (MG/L AS P)		0.73	
	8 / 19 / 2010	1	00666	PHOSPHORUS, DISSOLVED (MG/L AS P)	<	0.01	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
6713901	3 / 31 / 2009	1	01020	BORON, DISSOLVED (UG/L AS B)		70	
	8 / 19 / 2010	1	01020	BORON, DISSOLVED (UG/L AS B)		40	
6714401	4 / 26 / 1946	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		240.	
6714406	1 / 14 / 1964	1	01045	IRON, TOTAL (UG/L AS FE)		4000.	
	1 / 14 / 1964	1	01046	IRON, DISSOLVED (UG/L AS FE)		120.	
6714701	6 / 20 / 1964	1	01045	IRON, TOTAL (UG/L AS FE)		490.	
	6 / 20 / 1964	1	01046	IRON, DISSOLVED (UG/L AS FE)		90.	
6714704	5 / 2 / 1946	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		292.	
6714706	2 / 6 / 1964	1	01045	IRON, TOTAL (UG/L AS FE)		34000.	
	2 / 6 / 1964	1	01046	IRON, DISSOLVED (UG/L AS FE)		330.	
6714801	3 / 31 / 2009	1	00010	TEMPERATURE, WATER (CELSIUS)		22.4	
	8 / 19 / 2010	1	00010	TEMPERATURE, WATER (CELSIUS)		22.7	
	3 / 31 / 2009	1	00666	PHOSPHORUS, DISSOLVED (MG/L AS P)		0.55	
	8 / 19 / 2010	1	00666	PHOSPHORUS, DISSOLVED (MG/L AS P)		0.01	
	3 / 31 / 2009	1	01020	BORON, DISSOLVED (UG/L AS B)		80	
	8 / 19 / 2010	1	01020	BORON, DISSOLVED (UG/L AS B)		40	
	9 / 22 / 1993	1	00090	OXIDATION REDUCTION POTENTIAL (ORP), MILLIVOLTS		49.1	
	9 / 22 / 1993	1	00608	NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)		0.03	
	9 / 22 / 1993	1	00613	NITRITE NITROGEN, DISSOLVED (MG/L AS N)	<	0.01	
	9 / 22 / 1993	1	00618	NITRATE NITROGEN, DISSOLVED (MG/L AS N)		2.38	
	9 / 22 / 1993	1	00623	NITROGEN, KJELDAHL, DISSOLVED (MG/L AS N)		0.2	
	9 / 22 / 1993	1	01000	ARSENIC, DISSOLVED (UG/L AS AS)		1.5	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
6714803	9 / 22 / 1993	1	01005	BARIUM, DISSOLVED (UG/L AS BA)		17.7	
	9 / 22 / 1993	1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	2.0	
	9 / 22 / 1993	1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	4.0	
	9 / 22 / 1993	1	01040	COPPER, DISSOLVED (UG/L AS CU)		19.2	
	9 / 22 / 1993	1	01046	IRON, DISSOLVED (UG/L AS FE)		31.3	
	9 / 22 / 1993	1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	5.0	
	9 / 22 / 1993	1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		7.8	
	9 / 22 / 1993	1	01075	SILVER, DISSOLVED (UG/L AS AG)	<	10.	
	9 / 22 / 1993	1	01090	ZINC, DISSOLVED (UG/L AS ZN)		147.	
	9 / 22 / 1993	1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	6.0	
	9 / 22 / 1993	1	01503	ALPHA, DISSOLVED (PC/L)	<	2.0	
	9 / 22 / 1993	1	03503	BETA, DISSOLVED (PC/L)	<	6.0	
	9 / 22 / 1993	1	39086	ALKALINITY, FIELD, DISSOLVED AS CaCO3		96.2	
	9 / 22 / 1993	1	71890	MERCURY, DISSOLVED (UG/L AS HG)	<	0.13	
	10 / 26 / 1998	1	00010	TEMPERATURE, WATER (CELSIUS)		23.1	
	3 / 25 / 2002	1	00010	TEMPERATURE, WATER (CELSIUS)		22.1	
	10 / 26 / 1998	1	00608	NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)		0.63	
	10 / 26 / 1998	1	00623	NITROGEN, KJELDAHL, DISSOLVED (MG/L AS N)		0.7	
	10 / 26 / 1998	1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.05	
	3 / 25 / 2002	1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)		0.0623	
	10 / 26 / 1998	1	00666	PHOSPHORUS, DISSOLVED (MG/L AS P)	<	0.07	
	10 / 26 / 1998	1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2	
	3 / 25 / 2002	1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2	
	10 / 26 / 1998	1	01005	BARIUM, DISSOLVED (UG/L AS BA)		15.9	
	3 / 25 / 2002	1	01005	BARIUM, DISSOLVED (UG/L AS BA)		15.5	
	10 / 26 / 1998	1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1	
	3 / 25 / 2002	1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1	
	10 / 26 / 1998	1	01020	BORON, DISSOLVED (UG/L AS B)		221	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
	3 / 25 / 2002	1	01020	BORON, DISSOLVED (UG/L AS B)	<	50	
	10 / 26 / 1998	1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1	
	3 / 25 / 2002	1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1	
	10 / 26 / 1998	1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)		25.7	
	3 / 25 / 2002	1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)		2.83	
	10 / 26 / 1998	1	01035	COBALT, DISSOLVED (UG/L AS CO)		2.3	
	3 / 25 / 2002	1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1	
	10 / 26 / 1998	1	01040	COPPER, DISSOLVED (UG/L AS CU)		3	
	3 / 25 / 2002	1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	1	
	10 / 26 / 1998	1	01046	IRON, DISSOLVED (UG/L AS FE)		3490	
	3 / 25 / 2002	1	01046	IRON, DISSOLVED (UG/L AS FE)		3110	
	10 / 26 / 1998	1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1	
	3 / 25 / 2002	1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1	
	10 / 26 / 1998	1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		128	
	3 / 25 / 2002	1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		139	
	10 / 26 / 1998	1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1	
	3 / 25 / 2002	1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1	
	10 / 26 / 1998	1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1	
	3 / 25 / 2002	1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1	
	10 / 26 / 1998	1	01065	NICKEL, DISSOLVED (UG/L AS NI)		58.3	
	3 / 25 / 2002	1	01065	NICKEL, DISSOLVED (UG/L AS NI)		4.83	
	10 / 26 / 1998	1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		1210	
	3 / 25 / 2002	1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		1160	
	10 / 26 / 1998	1	01085	VANADIUM, DISSOLVED (UG/L AS V)		7.4	
	3 / 25 / 2002	1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1	
	10 / 26 / 1998	1	01090	ZINC, DISSOLVED (UG/L AS ZN)		6.8	
	3 / 25 / 2002	1	01090	ZINC, DISSOLVED (UG/L AS ZN)		16.6	
	10 / 26 / 1998	1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1	
	3 / 25 / 2002	1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
6719108	10 / 26 / 1998	1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	4	
	3 / 25 / 2002	1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	4	
	10 / 26 / 1998	1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		289	
	3 / 25 / 2002	1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		255	
	10 / 26 / 1998	1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4	
	3 / 25 / 2002	1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4	
	10 / 26 / 1998	1	39086	ALKALINITY, FIELD, DISSOLVED AS CaCO3		173	
	3 / 25 / 2002	1	39086	ALKALINITY, FIELD, DISSOLVED AS CaCO3		152.0	
	10 / 26 / 1998	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.33	
	3 / 25 / 2002	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.295	
6719201	4 / 3 / 1946	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		1220.	
6719202	3 / 20 / 1946	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		780.	
6719306	8 / 9 / 1946	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		1080.	
6719308	1 / 8 / 1964	1	01045	IRON, TOTAL (UG/L AS FE)		10000.	
	1 / 8 / 1964	1	01046	IRON, DISSOLVED (UG/L AS FE)	<	10.	
6719401	1 / 8 / 1964	1	01045	IRON, TOTAL (UG/L AS FE)		10000.	
	1 / 8 / 1964	1	01046	IRON, DISSOLVED (UG/L AS FE)		10.	
6719402	6 / 25 / 1946	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		525	
6719506	8 / 6 / 1946	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		382.	
	6 / 25 / 1946	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		330.	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
6719507							
	2 / 12 / 1946	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		285.	
	2 / 12 / 1946	1	01045	IRON, TOTAL (UG/L AS FE)		8500.	
6719601							
	6 / 24 / 1964	1	01020	BORON, DISSOLVED (UG/L AS B)		840.	
	10 / 22 / 1942	1	01045	IRON, TOTAL (UG/L AS FE)		240.	
	2 / 0 / 1943	1	01045	IRON, TOTAL (UG/L AS FE)		20.	
	8 / 19 / 1943	1	01045	IRON, TOTAL (UG/L AS FE)		50.	
	5 / 8 / 1945	1	01045	IRON, TOTAL (UG/L AS FE)		50.	
	7 / 23 / 1947	1	01045	IRON, TOTAL (UG/L AS FE)		250.	
	1 / 25 / 1951	1	01045	IRON, TOTAL (UG/L AS FE)		60.	
	6 / 21 / 1954	1	01045	IRON, TOTAL (UG/L AS FE)		100.	
	12 / 12 / 1955	1	01045	IRON, TOTAL (UG/L AS FE)		50.	
	6 / 6 / 1960	1	01045	IRON, TOTAL (UG/L AS FE)		40.	
	6 / 24 / 1964	1	01045	IRON, TOTAL (UG/L AS FE)	<	10.	
	12 / 2 / 1969	1	01045	IRON, TOTAL (UG/L AS FE)	<	20.	
6719602							
	10 / 22 / 1942	1	01045	IRON, TOTAL (UG/L AS FE)		260.	
	2 / 0 / 1943	1	01045	IRON, TOTAL (UG/L AS FE)		90.	
	8 / 19 / 1943	1	01045	IRON, TOTAL (UG/L AS FE)		60.	
	5 / 8 / 1945	1	01045	IRON, TOTAL (UG/L AS FE)		60.	
	6 / 23 / 1947	1	01045	IRON, TOTAL (UG/L AS FE)		300.	
6719603							
	6 / 22 / 1954	1	01045	IRON, TOTAL (UG/L AS FE)		150.	
	6 / 22 / 1954	1	01055	MANGANESE, TOTAL (UG/L AS MN)	<	50.	
6719605							
	6 / 20 / 1964	1	00665	PHOSPHORUS, TOTAL (MG/L AS P)		0.6	
	6 / 20 / 1964	1	01020	BORON, DISSOLVED (UG/L AS B)		1000.	
	1 / 25 / 1951	1	01045	IRON, TOTAL (UG/L AS FE)		50.	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
6719606	6 / 22 / 1954	1	01045	IRON, TOTAL (UG/L AS FE)		80.	
	12 / 12 / 1955	1	01045	IRON, TOTAL (UG/L AS FE)		30.	
	6 / 6 / 1960	1	01045	IRON, TOTAL (UG/L AS FE)		50.	
	6 / 20 / 1964	1	01045	IRON, TOTAL (UG/L AS FE)	<	10.	
	12 / 2 / 1969	1	01045	IRON, TOTAL (UG/L AS FE)	<	20.	
	1 / 25 / 1951	1	01055	MANGANESE, TOTAL (UG/L AS MN)	<	50.	
	6 / 22 / 1954	1	01055	MANGANESE, TOTAL (UG/L AS MN)	<	50.	
	12 / 12 / 1955	1	01055	MANGANESE, TOTAL (UG/L AS MN)	<	50.	
	6 / 6 / 1960	1	01055	MANGANESE, TOTAL (UG/L AS MN)	<	50.	
	6 / 20 / 1964	1	01055	MANGANESE, TOTAL (UG/L AS MN)	<	50.	
6719607	6 / 24 / 1964	1	01020	BORON, DISSOLVED (UG/L AS B)		1400.	
	4 / 16 / 1957	1	01045	IRON, TOTAL (UG/L AS FE)		80.	
	10 / 15 / 1962	1	01045	IRON, TOTAL (UG/L AS FE)		40.	
	6 / 24 / 1964	1	01045	IRON, TOTAL (UG/L AS FE)	<	10.	
	4 / 16 / 1957	1	01055	MANGANESE, TOTAL (UG/L AS MN)	<	50.	
	10 / 15 / 1962	1	01055	MANGANESE, TOTAL (UG/L AS MN)	<	50.	
6719608	6 / 20 / 1964	1	01020	BORON, DISSOLVED (UG/L AS B)		1100.	
	12 / 12 / 1955	1	01045	IRON, TOTAL (UG/L AS FE)		180.	
	6 / 7 / 1960	1	01045	IRON, TOTAL (UG/L AS FE)		40.	
	6 / 20 / 1964	1	01045	IRON, TOTAL (UG/L AS FE)		170.	
	12 / 2 / 1969	1	01045	IRON, TOTAL (UG/L AS FE)	<	20.	
	6 / 20 / 1964	1	01046	IRON, DISSOLVED (UG/L AS FE)		100.	
	6 / 20 / 1964	1	01055	MANGANESE, TOTAL (UG/L AS MN)	<	10.	
6719612	2 / 7 / 1946	1	01045	IRON, TOTAL (UG/L AS FE)		120.	
	2 / 7 / 1946	1	01045	IRON, TOTAL (UG/L AS FE)		620.	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
6719613							
	2 / 7 / 1946	1	01045	IRON, TOTAL (UG/L AS FE)		2200.	
6719614							
	2 / 11 / 1949	1	01045	IRON, TOTAL (UG/L AS FE)		300.	
6719615							
	12 / 9 / 1969	1	01020	BORON, DISSOLVED (UG/L AS B)		300.	
6719628							
	5 / 8 / 1968	1	01045	IRON, TOTAL (UG/L AS FE)		540.	
	5 / 9 / 1968	1	01045	IRON, TOTAL (UG/L AS FE)		250.	
	5 / 22 / 1968	1	01045	IRON, TOTAL (UG/L AS FE)		150.	
	5 / 8 / 1968	1	01046	IRON, DISSOLVED (UG/L AS FE)	<	50.	
	5 / 9 / 1968	1	01046	IRON, DISSOLVED (UG/L AS FE)		50.	
6719629							
	12 / 8 / 1969	1	01020	BORON, DISSOLVED (UG/L AS B)		1300.	
6719643							
	5 / 4 / 1978	1	01045	IRON, TOTAL (UG/L AS FE)		90.	
6719644							
	2 / 12 / 1962	1	01020	BORON, DISSOLVED (UG/L AS B)		280.	
	2 / 12 / 1962	1	01045	IRON, TOTAL (UG/L AS FE)		980.	
	2 / 12 / 1962	1	01046	IRON, DISSOLVED (UG/L AS FE)		10.	
6719645							
	4 / 22 / 1946	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		144.	
6719647							
	7 / 26 / 1946	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		48.	
6720101							
	5 / 7 / 1946	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		195.	
	3 / 27 / 1979	1	71875	HYDROGEN SULFIDE, MG/L	<	0.01	
6720104							

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
6720108	3 / 4 /1964	1	01045	IRON, TOTAL (UG/L AS FE)	<	10.	
6720109	3 / 27 /1979	1	71875	HYDROGEN SULFIDE, MG/L		0.95	
6720202	3 / 27 /1979	1	71875	HYDROGEN SULFIDE, MG/L		0.04	
6720203	7 / 16 /1946	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		210.	
6720205	7 / 16 /1946	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		360.	
6720402	6 / 24 /1964	1	01045	IRON, TOTAL (UG/L AS FE)		16000.	
6720408	7 / 16 /1946	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		180.	
6720501	3 / 27 /1979	1	71875	HYDROGEN SULFIDE, MG/L		0.04	
6720602	7 / 3 /1946	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		232.	
6720704	5 / 7 /1946	1	00191	HYDROGEN ION CONCENTRATION, TOTAL (MG/L)		0.13	
6720708	5 / 7 /1946	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		52.	
6720801	5 / 7 /1946	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		308.	
6720802	5 / 7 /1946	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		165.	
	5 / 3 /1946	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		30.	
	3 / 18 /2009	1	00010	TEMPERATURE, WATER (CELSIUS)		22.3	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
6721104	8 / 17 / 2010	1	00010	TEMPERATURE, WATER (CELSIUS)		23.5	
	3 / 18 / 2009	1	00666	PHOSPHORUS, DISSOLVED (MG/L AS P)	<	0.01	
	8 / 17 / 2010	1	00666	PHOSPHORUS, DISSOLVED (MG/L AS P)	<	0.01	
	3 / 18 / 2009	1	01020	BORON, DISSOLVED (UG/L AS B)		140	
	8 / 17 / 2010	1	01020	BORON, DISSOLVED (UG/L AS B)		110	
6721202	6 / 20 / 1964	1	00191	HYDROGEN ION CONCENTRATION, TOTAL (MG/L)		0.2	
	6 / 20 / 1964	1	01045	IRON, TOTAL (UG/L AS FE)		2300.	
6721203	5 / 17 / 1946	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		465.	
6721303	5 / 2 / 1978	1	01045	IRON, TOTAL (UG/L AS FE)		17000.	
	1 / 10 / 1964	1	01045	IRON, TOTAL (UG/L AS FE)		60.	